

**Ecodesign**  
**EU Declaration of Conformity**  
 DoC Icon-Line Eclipse XL 2620-2022  
 Product fiche



|              |                               |
|--------------|-------------------------------|
| Manufacturer | Heta A/S                      |
| Adress       | Jupitervej 22, DK 7620 Lemvig |
| E-mail       | heta@heta.dk                  |
| Website      | www.heta.dk                   |
| Telephone    | +45 9663 0600                 |

|                         |  |
|-------------------------|--|
| <b>Model identifier</b> | Icon-Line Eclipse XL, Eclipse XL B, Eclipse XL S serie |
|-------------------------|--|

|  |
|--|
| <b>The identified product described above is in conformity with:</b> |
| <b>The relevant EU harmonized regulations:</b>                       |
| DIR 2009/125/EF  |
| REG (EU) 2015/1185   |
| REG (EU) 2015/1186   |
| REG (EU) 2017/1369   |
| REG (EU) 305/2011  |
| <b>The relevant harmonized standards</b>                             |
| EN 13240:2001/A2:2004  |
| CEN/TS 15883:2010  |

|  |                  |                   |
|--|------------------|-------------------|
| <b>Characteristics when operating with the preferred fuel only</b> |                  |                   |
| <b>Heat output</b>   |                  |                   |
| <b>Item</b>  | <b>Symbol</b>    | <b>Value/Unit</b> |
| Nominal heat output  | $P_{nom}$        | 7,1 kW            |
| Minimum heat output  | $P_{min}$        |                   |
| <b>Useful efficiency (NCV as received)</b>                         |                  |                   |
| Useful efficiency at nominal heat output                           | $\eta_{th, nom}$ | 81%               |
| Useful efficiency at minimum heat output                           | $\eta_{th, min}$ |                   |
| <b>Auxiliary electricity consumption</b>                           |                  |                   |
| At nominal heat output   | $el_{max}$       | - kW              |
| At minimum heat output   | $el_{min}$       | - kW              |
| In standby mode  | $el_{SB}$        | - kW              |

|  |     |
|--|-----|
| <b>Type of heat output/room temperature control</b>      |     |
| single stage heat output, no room temperature control    | Yes |
| two or more manual stages, no room temperature control   | No  |
| with electronic room temperature control                 | No  |
| with electronic room temperature control                 | No  |
| with electronic room temperature control plus day timer  | No  |
| with electronic room temperature control plus week timer | No  |

|  |    |
|--|----|
| <b>Other control options</b>                         |    |
| room temperature control, with presence detection    | No |
| room temperature control, with open window detection | No |
| with distance control option                         | No |

|  |
|--|
| <b>Notified body relevant to the assessment and verification of constancy of performance</b> |
| Danish Technological Institute, DK-8000 Aarhus<br>No. 1235. Report no. 300-ELAB-2620-EN      |

| Fuel   | Preferred fuel | Other suitable fuel |
|--|----------------|---------------------|
| Wood logs with moisture content $\leq 25$ %    | Yes            | No                  |
| Compressed wood with moisture content $< 12$ % | No             | Yes                 |
| Other woody biomass                            | No             | No                  |
| Non-woody biomass                              | No             | No                  |
| Anthracite and dry steam coal                  | No             | No                  |
| Hard coke                                      | No             | No                  |
| Low temperature coke                           | No             | No                  |
| Bituminous coal                                | No             | No                  |
| Lignite briquettes                             | No             | No                  |
| Peat briquettes                                | No             | No                  |
| Blended fossil fuel briquettes                 | No             | No                  |
| Blended biomass and fossil fuel briquettes     | No             | No                  |
| Other blend of biomass and solid fuel          | No             | No                  |

|   |            |   |            |             |                 |
|---|------------|---|------------|-------------|-----------------|
| <b>Emissions at nominal heat output</b> | $\eta_s$ % | mg/Nm <sup>3</sup> (13 % O <sub>2</sub> ) |            |             |                 |
|   |            | PM  | OGC        | CO          | NO <sub>x</sub> |
|   | $\geq 65$  | $\leq 40$                                 | $\leq 120$ | $\leq 1500$ | $\leq 200$      |
|   | 71         | 25  | 50         | 697         | 94              |

|  |   |
|--|---|
| <b>Technical documentation</b>             |   |
| Indirect heating functionality:            | No  |
| Direct heat output:                        | 7,1 kW  |
| Energy Efficiency Index (EEI):             | EEI 107,5   |
| Fluegas temperature at nominal heat output | T 283°C   |
| Energy efficiency class                    |  |

|  |                         |
|--|-------------------------|
| <b>Safety</b>  |                         |
| Reaction to fire   | A1                      |
| Test of fire safety in connection with the burning of wood | Approved                |
| Distance to combustible materials                          | Minimum distances in mm |
| Rear. Without insulation / with insulation                 | 125/75                  |
| Sides distance to combustible materials                    | 400                     |
| Furniture distance   | 1200                    |

Signed on behalf the manufacturer of 20.11.2025

The chimney sweep's signature Date \_\_\_\_\_

Signature \_\_\_\_\_

  
 JUPITERVEJ 22 · DK-7620 LEMVIG  
 TLF. +45 9663 0600 · FAX +45 9663 0616  
 Martin Bach